

“It’s not about describing rocks, it is about gathering information”

Descriptive Lithology: Analysis of Cuttings and Cores

**Dr. Robert K. Merrill
Catheart Energy, Inc.**

Catheart



**AMERICAN
STRATIGRAPHIC COMPANY**



Introduction

- **Systematic approach to describing drill cuttings and cores using the binocular microscope and reflected light**
- **Examination and identification of sedimentary rocks and minerals**
- **Describing reservoir and non-reservoir facies: sandstone, limestone, and dolomite**
 - ✓ **Texture, Structures, Diagenesis**
 - ✓ **Porosity estimates**
 - ✓ **Test methods**
 - ✓ **Sources of error**
- **Practical applications to reinforce key concepts**



Why Descriptive Lithology?

- **Millions of boxes of core and cuttings**
- **Bypassed Plays**
 - ✓ **Mission Canyon**
 - Many Mission Canyon Fields have Shell dry holes offsetting them
 - Shell's stratigraphic model of prograding sabhka deposits
 - Shell underestimated the risk: too few wells to test their stratigraphic concept
 - ✓ **Shongaloo Field – State Line Graben, Arkansas – 159 BCFG; 19.7 MMBO**
 - Marathon discovered the field after drilling two dry holes on the crest in 1954 and 1972
 - Integrated well, core and seismic data revealed that the field's true size extended beyond and included the “dry holes”
 - ✓ **Trend Exploration – Irian Jaya**
 - Sample cuttings analysis from Shell dry holes defined the pinnacle reef fairway
 - Shell's seismic data was shot around steeply-sloped hills on the coastal plain – compaction drape over the pinnacle reefs.
 - ✓ **James Lime**
 - Cuttings of reef detritus leads to recognition of bi-modal porosity system
 - Allows water-free production in rocks with 50% water saturation on logs



Value of Cuttings & Core Description

- Perception is that the quality of data is limited
- Large data resource available
 - ✓ Back to the basics
 - ✓ Need to use all the data
- Facies mapping
 - ✓ Framework
 - ✓ Wireline log calibration
- Reservoir description
 - ✓ Nature of porosity
 - Pore types
 - Pore distribution
 - ✓ Diagenesis
- Wireline log interpretation quality assurance
 - ✓ Calibration to the rocks
 - Matrix
 - Accessory minerals
 - ✓ Improved interpretation
- It is not about describing the rocks, it is about Extracting Information!



Agenda

- **Introduction and Review**
 - ✓ **Tools and Equipment**
 - ✓ **Sedimentary Minerals**
 - ✓ **Cavings and Foreign Material**
 - ✓ **Rock properties, e.g. Color, Texture, Porosity**
 - ✓ **Oil Staining**
- **Rock Types and Classification**
 - ✓ **Clastics**
 - ✓ **Limestone**
 - ✓ **Dolomite**
 - ✓ **Evaporites**
 - ✓ **Miscellaneous**
- **Final Exercise**

Lithologic Description Workflow

- **Porosity**
 - ✓ **Estimating Percentage**
 - ✓ **Porosity Types**
 - ✓ **Permeability Relationship**
- **Sample Shows – Oil Staining**
- **Lithology**
- **Grain Size**
- **Rounding**
- **Sorting**
- **Framework**



Lithologic Description

- **Diagenesis and Secondary Cement**
- **Lithologic Description**
 - ✓ **Lithology**
 - **Clastics**
 - **Carbonates**
 - **Limestone**
 - **Dolomite**
 - ✓ **Color**
 - ✓ **Texture**
 - ✓ **Accessory Minerals**
 - ✓ **Fossils**
- **Sample Preparation**
- **Foreign Matter and Cavings**



Other Topics

- **Depositional Environments**
- **Wireline Log Response to Lithology**
- **Diagenesis**
 - ✓ **Cementation and Kaolinization**
 - ✓ **Metasomatism and Dolomitization**
 - ✓ **Fracturing**
 - ✓ **Leaching**
- **Fossils and Rock Builders**
 - ✓ **Algae**
 - ✓ **Coral**
 - ✓ **Sponges**



Summary

- **Principals of cuttings and core examination with the binocular microscope, including sample properties and wireline log response.**
- **Sandstone, sandstone components, porosity and other physical characteristics.**
- **Siltstone and Shale**
- **Carbonate classification, limestone and dolomite characteristics and diagenesis**
- **Fossils**
- **Evaporites and other miscellaneous rock types**
- **Logging exercises**



Lower Manville Sandstone


Ss lt gy-brn, abnt cht frag, sl dol, sil, kao cmt, lt cut, g flor S-1, K-1






Crystalline Dolomite

Metasomatic Dolomite with Anhydrite Cement; Bitumen staining in pores




Dolomite: Leached & Cemented

White dolomite
crystals

















Carbonate Classification








Vuggy Carbonate Porosity

SEPARATE-VUG PORES (Yug-to-Matrix-to-Yug Connection)		TOUCHING-VUG PORES (Yug-to-Yug Connection)	
GRAIN-DOMINATED EXAMPLE TYPES	MUD-DOMINATED EXAMPLE TYPES	GRAIN-AND MUD-DOMINATED FABRICS EXAMPLE TYPES	
Moldic pores 	Moldic pores 	Cavemous 	Fractures 
Intra-fossil pores 	Intra-fossil pores 	Breccia 	Solution enlarged fractures 
Intragrain micro-porosity 	Shelter pores 	Fenestral 	Microfractures connecting moldic pores 




Wetting - Carbonates





Anhydrite Crystals

Acid test on dolomite confirms presence of Anhydrite by acicular crystal residue



Rock Builders

1. Probably a green algae.
2. Tubes of uniform diameter, usually thick, well-defined walls. Tubes are simple cylinders without cross partitions or perforations in the side walls.
3. Range: Cambrian – Cretaceous.

Genus *Girvanella*




1. Long considered an algae, now is thought to be a chaetetid sponge.
2. Similar to coralline algae, but no sporangia or conceptacles are present; differentiation of tissue into hypothallus and perithallus does not occur.
3. Range: Ordovician to Cretaceous; abundant in Jurassic


Solenoporaceae



Foraminifera Limestone with Clove Oil



Thamnopora & Stromatoporoid





Crinoids



Anhydrite

Primary Anhydrite



Interbedded Anhydrite and Dolomite




Nodular Anhydrite: Mosaic or Chicken-wire Structure

Secondary Anhydrite



Metasomatic replacement of limestone



Secondary Anhydrite cementing and replacing dolomitized limestone.